

**AGRICULTURAL BEARINGS SQUARE BORE TABLE 1**

GBC	FAG / BCA	FAFNIR	FEDERAL	RHP	NTN	LINK BELT	INA	NDH	OTHER	SHAFT SIZE	NOTES		
											O.D	I.R	O.R
W208PPB13	DS208TT13	W208PPB13	****	2/DNF240/7	1AS08-7/8	W208PPB13	****	AS4508FF	****	7/8	80mm (S)	1.437"	18mm
W208PPB11	DS208TT11	W208PPB11	****	****	4AS08-7/8	W208PPB11	W208PPB3AM06	AS4508FC	****	7/8	87mm (S)	1.437"	1.187"
W208PPB6	DS208TT6	W208PPB6	TNS208S	2/DNF240/8	1AS08-1	W208PPB6	GW208PPB3AH06	AS4508BK	****	1	80mm (S)	1.437"	18mm
W208PP6	DC208TT6	W208PP6	TN208S	2/DF240/8	5AS08-1	W208PP6	****	****	****	1	80mm (P)	1.437"	18mm
GW208PPB6	DS208TTR6	GW208PPB6	RAS4508AE	2/PDNF240/8G	****	GW208PPB6	GW208PPB3AH06	RAS4508BK	****	1	80mm (S)	1.437"	24mm
W208PPB9	DS208TT9	W208PPB9	TS208S	PDNF240/8	2AS08-1	W208PPB9	GW208PPB3AH09	AS4508BE	TC25-16S	1	80mm (S)	1.437"	1.187"
W208PP9	****	W208PP9	****	PDF240/8	6AS08-1D1	W208PP9	****	AS4508AD	TCS25-16S	1	80mm (P)	1.437"	1.187"
****	DC208TT2	W208K2-E9003	****	****	W208K2-E9003	****	****	AS4508A	****	1	80mm (P)	1.687"	1.279"
****	DC208-2	W208K2	****	****	W208K2	****	****	4508A	****	1	80mm (P)	1.687"	18mm
W208PPB5	DS208TT5	W208PPB5	TNS208S1	2/DNF240/9	1AS08-1 1/8	W208PPB5	W208PPB3AH05	AS4508BJ	208B3TT-2	1 1/8	80mm (S)	1.437"	18mm
W208PP5	DC208TT5	W208PP5	TN208S1	2/DF240/9	5AS08-1 1/8	W208PP5	W208PP3AH05	AS4508BH	208A3TT-1	1 1/8	80mm (P)	1.437"	18mm
GW208PPB5	DS208TTR5	GW208PPB5	TNS208S1R	2/PDNF240/9G	****	GW208PPB5	****	RAS4508BJ	****	1 1/8	80mm (S)	1.437"	0.9449"
****	****	****	****	****	2AS08-1 1/8D1	****	W208PPB3AH21	****	****	1 1/8	80mm (S)	1.437"	0.9449"
W208PPB8	DS208TT8	W208PPB8	TS208S1	PDNF240/9	2AS08-1 1/8	****	****	AS4508EF	TC25-18S 208B3TTC-4	1 1/8	80mm (S)	1.437"	1.187"
GW208PPB8	DS208TTR8	GW208PPB8	TS208S1R	PDNF240/9G	2AS08-1 1/8D1	GW208PPB8	W208PP3AH08	RAS4508EF	****	1 1/8	80mm (P)	1.437"	1.187"
W208PP8	DC208TT8	W208PP8	T208S1	PDF240/9	6AS08-1 1/8D1	W208PP8	****	AS4508BD	TCS25-18S 208A3TTC1	1 1/8	80mm (P)	1.437"	1.187"
W208PPB12	DS208TT12	W208PPB12	TSC208S1A	41/PDNF240/9B	4AS08-1 1/8	W208PPB12	****	AS4508BC	208B3TTC1	1 1/8	87mm (S)	1.437"	1.187"
W210PPB4	DS210TT4	W210PPB4	TWS210S1	PDNF150/9	****	W210PPB4	****	AS4510F	TC31-18S	1 1/8	90mm (S)	1.187"	1.187"
GW210PPB4	DS210TTR4	GW210PPB4	****	PDNF150/9G	****	GW210PPB4	****	RAS4510F	****	1 1/8	90mm (S)	1.187"	1.187"
W210PP4	DC210TT4	W210PP4	****	PDF150/9	****	****	****	AS4510B	TCS31-18S	1 1/8	90mm (P)	1.187"	1.187"
GW210PP4	DC210TTR4	GW210PP4	****	PDF150/9G	7AS10-1 1/8D1	GW210PP4	****	RAS4510B	TCS31-18S	1 1/8	90mm (P)	1.187"	1.187"
****	DC208	W208K3	****	****	****	****	****	4508B	****	1 1/8	80mm (P)	1.687"	18mm
W210PP6	****	W210PP6	****	****	W210PP6	****	****	****	****	1 1/8	90mm (P)	1.437"	1.187"
W210PPB6	DS210TT6	W210PPB6	TS210S1A	PDNF250/9	****	W210PPB6	****	****	****	1 1/8	90mm (S)	1.437"	1.187"
GW208PP17	DC208TTR17	GW208PP17	****	2/DNF240/9	GW208PP17	****	****	****	****	1 1/8	3.375" (P)	1.437"	1.187"
W208PPB19	****	W208PPB19	****	****	W208PPB19	****	****	AS4508F	****	1 1/8	3.443" (S)	1.437"	1.187"
W208PP20	****	W208PP20	****	2/DF240/9	W208PP20	****	****	****	****	1 1/8	80mm (P)	1.437"	18mm

O.D. = Outside Diameter  
 I.R. = Inner Ring Width  
 O.R. = Outer Ring Width  
 (S) = Spherical O.D.  
 (P) = Parallel O.D.

AGRICULTURAL BEARINGS SQUARE BORE TABLE 2													
GBC	FAG / BCA	FAFNIR	FEDERAL	RHP	NTN	LINK BELT	INA	NDH	OTHER	SHAFT SIZE	NOTES		
											O.D	I.R	O.R
*****	DC208TTR17	W208K3-E9003	****	****	W208K3-E9003	****	****	AS4508B	****	1 1/8	80mm (P)	1.687"	1.279"
****	DC208	W208K3	****	****	W208K3	****	****	4508B	****	1 1/8	80mm (P)	1.687"	18mm
GW208PP8	****	GW208PP8	****	****	6AS08-1 1/8D1	****	****	****	****	1 1/8	80mm (P)	1.437"	1.187"
****	****	****	****	****	4AS09-1 1/4	W209PPB7	****	AS4509AC	****	1 1/4	87mm (S)	1.437"	1.187"
W209PPB5	DS209TT5	W209PPB5	TS209S2	PDF245/10	****	W209PPB5	W209PPB3AH09	AS4509A	****	1 1/4	85mm (S)	1.437"	1.187"
GW209PPB5	DS209TTR5	GW209PPB5	****	PDF245/10G	2AS09-1 1/4D1	****	GW209PPB3AH06	RAS4509A	****	1 1/4	85mm (S)	1.437"	1.187"
W209PPB8	DS209TT8	W209PPB8	****	DNF245/10	****	****	****	AS4509EF	****	1 1/4	85mm (S)	1.437"	22mm
GW209PPB8	DS209TTR8	GW209PPB8	****	DNF245/10G	****	GW209PPB8	****	RAS4509EF	****	1 1/4	85mm (S)	1.437"	22mm
****	DC209TT5	****	****	PDF245/10	****	****	****	AS4509AD	****	1 1/4	85mm (P)	1.437"	1.187"
****	DC209TTR5	****	****	****	6AS09-1 1/4D1	*GW209PP8	****	RAS4509AD	****	1 1/4	85mm (P)	1.437"	1.187"
W209PPB7	DS209TT7	W209PPB7	****	****	*4AS09-1 1/4	****	****	AS4509AC	****	1 1/4	87mm (S)	1.437"	1.187"
W211PPB3	DS211TT3	W211PPB3	TWS211S4	PDF155/12	3AS11-1 1/2	W211PPB3	W211PPB3AH02	AS4511BE	211B3TTC-1	1 1/2	100mm (S)	1.312"	1.312"
GW211PPB3	DS211TTR3	GW211PPB3	TWS211S4R	PDF155/12G	3AS11-1 1/2D1	GW211PPB3	****	RAS4511BE	TC35-24S	1 1/2	100mm (S)	1.312"	1.312"
W211PP3	DC211TT3	W211PP3	TW211SY	PDF155/12	7AS11-1 1/2	W211PP3	****	AS4511BD	****	1 1/2	100mm (P)	1.312"	1.312"
GW211PP3	DC211TTR3	GW211PP3	****	PDF155/12G	7AS11-1 1/2D1	GW211PP3	****	RAS4511BD	TCS35-24S	1 1/2	100mm (P)	1.312"	1.312"
W211PP5	DC211TT5	W211PP5	T211S4A	37/PDF255/12	6AS11-1 1/2V1	****	****	AS4511AE	****	1 1/2	4.000" (P)	1.750"	1.437"
GW211PP17	DC211TTR4	****	****	****	6AS11-1/2(SPEC)	****	****	****	****	1 1/2	100mm (P)	1.750"	1.437"
W211PPB6	DS211TT6	W211PPB6	TSC211S4A	PDF11002	*4AS11-1 1/2	****	****	AS4511AC	****	1 1/2	4.125" (S)	1.750"	1.437"
GW211PPB11	****	GW211PPB11	****	****	1AS11-1 1/2D1	****	****	****	****	1 1/2	100mm (S)	1.750"	25mm
W211PPB29	****	W211PPB29	****	DNF155/12AGY	****	****	****	****	****	40mm	100mm (S)	1.312"	25mm
W211PP30	DC211TT40A	W211PP30	****	PDF155/12A	****	****	****	****	****	40mm	100mm (P)	1.312"	0.9375"
W211PPB30	****	W211PPB30	****	PDF155/12A	****	****	****	****	****	40mm	100mm (S)	1.312"	25mm
W211PP34	DC211TT40	W211PP34	****	48/PDF255/12A	****	****	****	****	****	40mm	4.000"		
GW211PP35	DC211TTR26	GW211PP35	****	****	****	****	****	****	****	40mm			
GW216PPB4	****	GW216PPB4	****	****	GW216PPB4	****	****	****	****	1 3/4	140mm (S)	63.5mm	30mm
GW214PPB4	****	GW214PPB4	****	****	3AS14-2D1	****	****	****	****	2	125mm (S)	1.562"	1.562"
GW216PPB2	****	GW216PPB2	****	****	GW216PPB2	****	****	****	****	2 1/4	140mm (S)	63.5mm	30mm

O.D. = Outside Diameter  
I.R. = Inner Ring Width  
O.R. = Outer Ring Width  
(S) = Spherical O.D.  
(P) = Parallel O.D.

AGRICULTURAL BEARINGS ROUND BORE TABLE 1													
GBC	FAG / BCA	FAFNIR	FEDERAL	RHP	NTN	LINK BELT	INA	NDH	OTHER	SHAFT SIZE	NOTES		
											O.D	I.R	O.R
W208PPB14	DS208TT14	W208PPB14	****	****	****	W208PPB14	****	AS4508FD	****	7/8	3.438" (S)	1.437"	1.187"
205PPB7	205TTH	****	****	****	****	****	****	****	****	15/16	52mm (S)	1.3748"	15mm
W208PP4	****	W208PP4	****	****	W208PP4	****	****	****	****	1 3/16	80mm (P)	1.187"	1.187"
W208PPB7	DS208TT7	W208PPB7	TNS208A	2/DNF140-1 3/16	1AC08-1 3/16	W208PPB7	****	****	TC25-19	1 3/16	80mm (S)	1.187"	18mm
W208PP7	DC208TT7	W208PP7	****	****	W208PP7	****	****	****	****	1 3/16	80mm (P)	1.187"	18mm
W208PPB4	DS208TT4	W208PPB4	TWS208A	PDNF140-1 3/16	****	W208PPB4	****	****	208B3TTC1	1 3/16	80mm (S)	1.187"	1.187"
GW210PP3	DC210TTR3	GW210PP3	****	****	7AC10- 1 13/32D1	****	****	****	****	1 3/16	90mm (P)	1.187"	1.187"
W208PP2	****	W208PP2	****	****	W208PP2	****	****	****	****	1 1/2	80mm (P)	1.687"	1.687"
W210PP8	****	W210PP8	****	****	W210PP8	****	****	****	****	1 1/2	90mm (P)	1.187"	1.187"
W208PP10	DC208TT10	W208PP10	TN208A	36/DF140-1 1/2	****	W208PP10	****	****	****	1 1/2	80mm (P)	1.687"	21mm
W208PPB2	DS208TT2A	W208PPB2	TS208A	36/PDNF140-1 1/2	****	W208PPB2	****	****	TC25-24	1 1/2	80mm (S)	1.687"	1.187"
GW208PPB2	****	GW208PPB2	****	****	2AC08-1 1/2D1	****	****	****	****	1 1/2	80mm(S)	1.687"	1.187"
****	DS208TT3	****	****	****	****	****	****	AS4508EC	****	1 1/2	3.438" (P)	1.187"	1.187"
****	DC208TTA	****	****	****	****	****	****	AS4508ED	TCS25-24	1 1/2	80mm (P)	1.437"	1.187"
****	DC210TT7	****	****	****	****	****	****	****	TCS27-24	1 1/2	90mm (P)	1.187"	1.187"
W209PPB4	DS209TT4	W209PPB4	TWS209A	28/PDNF145-1 1/2	****	W209PPB4	****	AS4509BD	****	1 1/2	85mm (S)	1.187"	1.187"
GW209PPB4	DS209TTR4	GW209PPB4	TWS209AR	28/PDNF145-1 1/2G	3AC09-1 1/2D1	GW209PPB4	****	RAS4509BD	****	1 1/2	85mm (S)	1.187"	1.187"
W209PPB6	DS209TT6	W209PPB6	****	****	W209PPB6	****	****	AS4509B	****	1 1/2	3.438" (S)	1.187"	1.187"
GW211PP4	****	GW211PP4	****	****	7AC11-1 5/8D1	****	****	****	****	1 5/8	100mm (P)	1.312"	1.312"
W209PPB2	DS209TT2	W209PPB2	TWS209	PDNF145-45	****	W209PPB2	****	AS4509BE	TC27-28	45mm	85mm (S)	1.187"	1.187"
GW209PPB2	DS209TTR2	GW209PPB2	****	PDNF145-45G	3AC09D1	GW209PPB2	****	RAS4509BE	****	45mm	85mm (S)	1.187"	1.187"
GW209PPB11	DS209TTR10	GW209PPB11	****	28/DNF245-45G	1AC09D1V1	****	****	****	****	45mm	85mm (S)	1.437"	22mm
W210PPB5	DS210TT5	W210PPB5	TWS210A	5/PDNF150-1 3/4	W210PPB5	W210PPB5	****	AS4510D	TC31-28	1 3/4	90mm (S)	1.187"	1.187"
GW210PPB5	DS210TTR5	GW210PPB5	****	****	3AC10-1 3/4D1	****	****	****	****	1 3/4	90mm (S)	1.187"	1.187"
GWPPB13	****	GWPPB13	****	****	GW211PPB13	****	****	****	****	1 3/4	100mm (S)	1.312"	25mm
W210PPB2	DS210TT2	W210PPB2	TWS210B	PDNF150-1 15/16	3AC10-1 15/16	****	****	****	TC31-31	1 15/16	90mm (S)	1.187"	1.187"
GW210PPB2	DS210TTR2	GW210PPB2	****	PDNF150-	3AC10-1 15/16D1	W210PPB2	****	****	****	1 15/16	90mm (S)	1.187"	1.187"
****	****	****	****	1 15/16G	****	****	****	****	****				

O.D. = Outside Diameter  
I.R. = Inner Ring Width  
O.R. = Outer Ring Width  
(S) = Spherical O.D.  
(P) = Paralel O.D.

AGRICULTURAL BEARINGS ROUND BORE TABLE 2													
GBC	FAG / BCA	FAFNIR	FEDERAL	RHP	NTN	LINK BELT	INA	NDH	OTHER	SHAFT SIZE	NOTES		
											O.D	I.R	O.R
GW210PP2	DC210TTR2	GW210PP2	****	****	7AC10-1 15/16D1	****	****	****	****	1 15/16	90mm (P)	1.187"	1.187"
****	DC210	RMK1115K	****	****	5AC10-1 15/16	****	****	3210B	****	1 15/16	90mm (P)	1.937"	20mm
GW210PPB9	****	GW210PPB9	****	****	GW210PPB9	****	****	****	****	1 15/16	90mm (S)	1.437"	23mm
GW211PPB10	****	GW211PPB10	****	****	3AC11-1 15/16 D1V1	****	****	****	****	1 15/16	100mm (S)	1.312"	1.312"
GW211PPB14	****	GW211PPB14	****	****	GW211PPB14	****	****	****	****	2	100mm (S)	1.312"	25mm
W210PP2	DC210TT2	W210PP2	TW210A	PDF150-1 15/16	****	W210PP2	****	****	TCS35-31	2 3/16	90mm (P)	1.187"	1.187"
W211PPB2	DS211TT2	W211PPB2	TSW211A	PDF155-2 3/16	3AC11-2 3/16	W211PPB2	****	****	TS35-35	2 3/16	100mm (S)	1.312"	1.312"
GW211PPB2	DS211TTR2	GW211PPB2	****	PDF155-2 3/16G	3AC11-2 3/16 D1	GW211PPB2	****	****	****	2 3/16	100mm (S)	1.312"	1.312"
W211PP2	DC211TT2	W211PP2	TW211A	PDF155-2 3/16	7AC11-2 3/16	W211PP2	****	AS4511AC	TCS35-35	2 3/16	100mm (P)	1.312"	1.312"
GW211PPB8	****	GW211PPB8	****	****	GW211PPB8	****	****	****	****	2 3/16	100mm (S)	1.312"	25mm
GW211PPB9	****	GW211PPB9	****	****	1AC11-2 3/16 D1V1	****	****	****	****	2 3/16	100mm (S)	1.312"	25mm
****	DS211TTR9	****	****	****	DS211TTR9	****	****	****	****	2 3/16	100mm (S)	1.562"	25mm
GW214PPB6	****	GW214PPB6	****	****	GW211PPB6	****	****	****	****	2 11/16	125mm (S)	1.562"	1.562"
GW214PP2	DC214TTR2G	W214PP2	TW214	****	****	GW214PP2	****	****	****	2 3/4	125mm (P)	1.562"	1.562"
W214PPB2	****	W214PPB2	TSW214	****	****	W214PPB2	****	****	****	2 3/4	125mm (S)	1.562"	1.562"
GW214PPB2	****	GW214PPB2	****	****	3AC14D1	****	****	****	****	2 3/4	125mm (S)	1.562"	1.562"
GW214PPB5	DS214TTR5	GW214PPB5	****	****	GW214PPB5	****	****	****	****	70MM	125mm (S)	2.437"	1.562"
GW216PPB3	****	GW216PPB3	****	****	GW216PPB3	****	****	****	****	3	140mm (S)	63.5mm	30mm
****	****	W315PP2	TW315A	****	****	****	****	****	****	3	160mm (P)	2.687"	2.687"

**O.D.** = Outside Diameter  
**I.R.** = Inner Ring Width  
**O.R.** = Outer Ring Width  
(S) = Spherical O.D.  
(P) = Paralel O.D.